



Drafts

IS&R:

BRS: 17 and side with f

Pending

Active

- IS&R: (57) (296/24.34).CC
- BRS: (13) 11 and module\$
- L3: (8) (US-20030155786-\$)
- L4: (343) "224"/\$.ccls.
- L5: (22) 14 and module
- L6: (117) "220"/\$.ccls.
- L7: (4) 16 and module
- L8: (39) Combined citat
- L9: (2) "6343835"
- L10: (1) ("6343835").PN
- L11: (17) Combined citat
- L12: (1) ("5085481").PN
- L13: (48) Combined citat
- L14: (5) Combined citat
- L15: (1) ("5338081").PN
- L16: (58) Combined citat

Failed

- "138"/\$.ccls. and line\$
- (296/107.19-107.20).CCI

	Document I	Kind Code	Source	Issue Da	Pages	Image Doc.	Dis	...
1	US 6736438		USPAT	2004051	11	US 6736438	Semi-P	
2	US 6719343		USPAT	2004041	20	US 6719343	Vehic	
3	US 6666492		USPAT	2003122	7	US 6666492	Vehic	
4	US 6663155		USPAT	2003121	24	US 6663155	Vehic	
5	US 6588821		USPAT	2003070	30	US 6588821	Multi	
6	US 6572169		USPAT	2003060	7	US 6572169	Device	
7	US 6547299		USPAT	2003041	7	US 6547299	Remova	
8	US 6497443		USPAT	2002122	10	US 6497443	Recon	
9	US 6497441		USPAT	2002122	23	US 6497441	Multi	
10	US 6473315		USPAT	2002102	21	US 6473315	Teleco	
11	US 6447069		USPAT	2002091	9	US 6447069	Quick	
12	US 6435587		USPAT	2002082	12	US 6435587	Conso	
13	US 6425619		USPAT	2002073	10	US 6425619	Vehic	
14	US D460635		USPAT	2002072	4	US D460635	Child	
15	US 6386629		USPAT	2002051	9	US 6386629	Vehic	
16	US 6367857		USPAT	2002040	13	US 6367857	Remova	
17	US 6292236		USPAT	2001091	8	US 6292236	Autom	
18	US D446507		USPAT	2001081	10	US D446507	Ceilin	
19	US 6246449		USPAT	2001061	10	US 6246449	Displa	
20	US 6216927		USPAT	2001041	20	US 6216927	Mount	
21	US 6203088		USPAT	2001032	7	US 6203088	Slidi	

Structured form Custom form BRS form IS&R form Hits Details Image Text HTML

Drafts

Pending

Active

- IS&R: (57) (296/24.34).CC
- BRS: (13) 11 and module\$
- L3: (8) (US-20030155786-\$)
- L4: (343) "224"/\$.ccls.
- L5: (22) 14 and module
- L6: (117) "220"/\$.ccls.
- L7: (4) 16 and module
- L8: (39) Combined citat
- L9: (2) "6343835"
- L10: (1) ("6343835").PN
- L11: (17) Combined citat
- L12: (1) ("5085481").PN
- L13: (48) Combined citat
- L14: (5) Combined citat
- L15: (1) ("5338081").PN
- L16: (58) Combined citat

Failed

- "138"/\$.ccls. and line\$
- (296/107.19-107.20).CCI
- (296/136.01-136.13).CCI

Saved

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
1	IS&R	L1	57	(296/24.34).CCLS.	US-P GPUB	2004/12/2 8 06:21		
2	BRS	L2	13	11 and module\$	US-P GPUB	2004/12/2 8 06:06		
3	BRS	L3	8	(US-20030155786-\$ or US-20020163215-\$ or U	US-P GPUB	2004/12/2 8 06:17		
4	BRS	L4	343	"224"/\$.ccls. and console	USPA T	2004/12/2 8 06:21		
5	BRS	L5	22	14 and module	USPA T	2004/12/2 8 06:24		
6	BRS	L6	117	"220"/\$.ccls. and console	USPA T	2004/12/2 8 06:24		
7	BRS	L7	4	16 and module	USPA T	2004/12/2 8 06:45		
8	BRS	L8	39	("3926473" "4818008" "4848627"	US-P GPUB	2004/12/2 8 06:39		
9	BRS	L9	2	"6343835"	USPA T	2004/12/2 8 06:45		
10	IS&R	L10	1	("6343835").PN.	USPA T	2004/12/2 8 06:45		
11	BRS	L11	17	("2524909" "2545545" "3104131"	US-P GPUB	2004/12/2 8 06:51		
12	IS&R	L12	1	("5085481").PN.	US-P GPUB	2004/12/2 8 06:51		
13	RDS	L13	10	("3136161"	US-D	2004/12/2		

BRS form IS&R form Hits Details HTML

Best Available Copy

- > Drafts
 - > IS&R:
 - > BRS: 17 and side with flush
- > Pending
- > Active
 - > L1: (57) (296/24.34).CCLS.
 - > L2: (13) 11 and module\$
 - > L3: (8) (US-20030155786-\$ or US-20020163215
 - > L4: (343) "224"/\$.ccls. and console
 - > L5: (22) 14 and module
 - > L6: (117) "220"/\$.ccls. and console
 - > L7: (4) 16 and module
 - > L8: (39) Combined citation search 1
 - > L9: (2) "6343835"
 - > L10: (1) ("6343835").PN.
 - > L11: (17) Combined citation search 2
 - > L12: (1) ("5085481").PN.
 - > L13: (48) Combined citation search 3
 - > L14: (5) Combined citation search 4
 - > L15: (1) ("5338081").PN.
 - > L16: (58) Combined citation search 5
 - > L17: (388) "224"/\$.ccls. and console
 - > L18: (102) (296/37.14).CCLS.
 - > L19: (320) (296/37.8).CCLS.

Search
List
Browse
Queue
Clear


DBs
US-PPGPUB; USPAT

Default operator:
OR
 Highlight all hit terms initially

296/37.8

- > Drafts
- > Pending
- > Active
 - > L1: (57) (296/24.34).CCLS.
 - > L2: (13) 11 and module\$
 - > L3: (8) (US-20030155786-\$ or US-20020163215
 - > L4: (343) "224"/\$.ccls. and console
 - > L5: (22) 14 and module
 - > L6: (117) "220"/\$.ccls. and console
 - > L7: (4) 16 and module
 - > L8: (39) Combined citation search 1
 - > L9: (2) "6343835"
 - > L10: (1) ("6343835").PN.
 - > L11: (17) Combined citation search 2
 - > L12: (1) ("5085481").PN.
 - > L13: (48) Combined citation search 3
 - > L14: (5) Combined citation search 4
 - > L15: (1) ("5338081").PN.
 - > L16: (58) Combined citation search 5
 - > L17: (388) "224"/\$.ccls. and console
 - > L18: (102) (296/37.14).CCLS.
 - > L19: (320) (296/37.8).CCLS.

Type	L #	Hits	Search Text	DBs	Time	Stam	Comment	Error
BRS	L8	39	("3926473" "4818008" "4848627")	US-P GPUB	2004/12/2 8	06:39		
BRS	L9	2	"6343835"	USPA T	2004/12/2 8	06:45		
IS&R	L10	1	("6343835").PN.	USPA T	2004/12/2 8	06:45		
BRS	L11	17	("2524909" "2545545" "3104131")	US-P GPUB	2004/12/2 8	06:51		
IS&R	L12	1	("5085481").PN.	US-P GPUB	2004/12/2 8	06:51		
BRS	L13	48	("3136461" "3331494" "3799483")	US-P GPUB	2004/12/2 8	06:51		
BRS	L14	5	("5085481" "5338081" "5397160")	US-P GPUB	2004/12/2 8	06:55		
IS&R	L15	1	("5338081").PN.	US-P GPUB	2004/12/2 8	06:55		
BRS	L16	58	("2337505" "3058769" "3623683")	US-P GPUB	2004/12/2 8	06:55		
BRS	L17	388	"224"/\$.ccls. and console	US-P GPUB	2004/12/2 8	07:17		
IS&R	L18	102	(296/37.14).CCLS.	US-P GPUB	2004/12/2 8	07:18		
IS&R	L19	320	(296/37.8).CCLS.	US-P GPUB	2004/12/2 8	07:18		



- [-] Drafts
 - [-] IS&R:
 - [-] BRS: 17 and side with f
- [-] Pending
- [-] Active
 - [-] L1: (57) (296/24.34).CC
 - [-] L2: (13) 11 and moduleS
 - [-] L3: (8) (US-20030155786)
- [-] Failed
 - [-] "138"/\$.cccls. and lineS
 - [-] (296/107.19-107.20).CCI
 - [-] (296/136.01-136.13).CCI
- [-] Saved
 - [-] S1: (5) (("5545361") or
 - [-] S2: (7) (("5092512") or
 - [-] S3: (6) (("4165113") or
 - [-] S4: (5) (("5,092,512")
 - [-] S5: (1148) ((293/15) or
 - [-] S6: (5) (("4,615,411")
 - [-] S7: (4) (("4592886") or
 - [-] S8: (1) ("3934064").PN
 - [-] S9: (1) ("20008201").PN
 - [-] S10: (1) ("2789043").PN
 - [-] S11: (1) ("4615411").PN

Search

List

Browse

Queue

Clear

DBs

US-PPGPUB:USPAT

Default operator: OR

 Highlight all hit terms initially

296/24.34

- [-] Drafts
- [-] Pending
- [-] Active
- [-] Failed
 - [-] "138"/\$.cccls. and lineS
 - [-] (296/107.19-107.20).CCI
 - [-] (296/136.01-136.13).CCI
- [-] Saved
- [-] Favorites
- [-] Tagged (6)
- [-] UDC
- [-] Queue
- [-] Trash

	U	1. Document ID	Issue Dat	Page	Title	Current O
1	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 20030122392	20030703	11	Vehicle console and storage system and method	296/24.34
2	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 5246261	19930921	7	Safety partition for motor vehicles	296/24.34
3	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 6203088	20010320	7	Sliding console system	296/37.8
4	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 6428072	20020806	8	Vehicle equipment console	296/24.34
5	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 6572169	20030603	7	Device comprising a removable central console	296/24.34
6	<input type="checkbox"/>	<input checked="" type="checkbox"/> US 6796591	20040928	7	Glove compartment and cup holder device for a	296/37.8
					B2	

<

>

BRS form

IS&R form

Hits

Details

HTML

EAST - [lined duct:2]

File View Edit Tools Window Help

- > Drafts
 - > IS&R:
 - > BRS: 17 and side with f
- > Pending
- > Active
 - > L1: (57) (296/24.34).CCL
 - > L2: (13) 11 and module\$
 - > L3: (8) (US-20030155786)
- > Failed
 - > "138"/\$.ccls. and line\$
 - > (296/107.19-107.20).CCL
 - > (296/136.01-136.13).CCL
- > Saved
 - > S1: (5) ((5545361) or
 - > S2: (7) ((5092512) or
 - > S3: (6) ((4165113) or
 - > S4: (5) ((5,092,512) or
 - > S5: (1148) ((293/15) or
 - > S6: (5) ((4,615,411) or
 - > S7: (4) ((4592886) or
 - > S8: (1) ("3934064").PN.
 - > S9: (1) ("20008201").PN.
 - > S10: (1) ("2789043").PN.
 - > S11: (1) ("4615411").PN.

Search

List

Browse

Queue

Clear

DBs

US-PPGUB:USPAT

Default operator:

OR

 Highlight all hit terms initially

296/24.34

 Structured form Custom form BRS form IS&R form Hits Details Image Text HTML

- > Drafts
- > Pending
- > Active
- > Failed
 - > "138"/\$.ccls. and line\$
 - > (296/107.19-107.20).CCL
 - > (296/136.01-136.13).CCL
- > Saved
- > Favorites
- > Tagged (6)
- > UDC
- > Queue
- > Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
1	IS&R	L1	57	(296/24.34).CCLS.	US-P GPUB	2004/12/2 8 06:06		
2	BRS	L2	13	11 and module\$	US-P GPUB	2004/12/2 8 06:06		
3	BRS	L3	8	(US-20030155786-\$ or US-20020163215-\$ or U	US-P GPUB	2004/12/2 8 06:17		

 BRS form IS&R form Hits Details HTML

Ready

NUM



- [-] Drafts
 - [-] IS&R:
 - [-] BRS: 17 and side with f
- [-] Pending
- [-] Active
 - [-] L1: (57) (296/24.34).CC
 - [-] L2: (13) 11 and moduleS
 - [-] L3: (8) (US-2003015578C)
 - [-] L4: (343) "224"/\$.ccls.
 - [-] L5: (22) 14 and module
- [-] Failed
 - [-] "138"/\$.ccls. and lineS
 - [-] (296/107.19-107.20).CCI
 - [-] (296/136.01-136.13).CCI
- [-] Saved

Search	List	Browse	Queue	Clear
DBs	USPAT			
Default operator: OR				
<input type="checkbox"/> Plurals <input checked="" type="checkbox"/> Highlight all hit terms initially				

14 and module

- [-] Drafts
- [-] Pending
- [-] Active
- [-] Failed
 - [-] "138"/\$.ccls. and lineS
 - [-] (296/107.19-107.20).CCI
 - [-] (296/136.01-136.13).CCI
- [-] Saved
- [-] Favorites
- [-] Tagged (3)
- [-] UDC
- [-] Queue
- [-] Trash

	U	1	Document ID	Issue Dat	Page	Title	Current O
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5823599 A	19981020	8	Mechanized floor console	296/37.8
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6343835 B1	20020205	9	Couch console	297/188.2
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6464281 B2	20021015	7	Motor-vehicle modular dashboard	296/70

BRS form	IS&R form	Hits	Details	HTML
----------	-----------	------	---------	------

- > Drafts
 - > IS&R:
 - > BRS: 17 and side with f
- > Pending
- > Active
 - > L1: (57) (296/24.34).CC
 - > L2: (13) 11 and module\$
- > Failed
 - > "138"/\$.cccls. and line\$
 - > (296/107.19-107.20).CCL
 - > (296/136.01-136.13).CCL
- > Saved
 - > S1: (5) ("5545361") or
 - > S2: (7) ("5092512") or
 - > S3: (6) ("4165113") or
 - > S4: (5) ("5,092,512")
 - > S5: (1148) ((293/15) or
 - > S6: (5) ("4,615,411")
 - > S7: (4) ("4592886") or
 - > S8: (1) ("3934064").PN
 - > S9: (1) ("20008201").PN
 - > S10: (1) ("2789043").PN
 - > S11: (1) ("4615411").PN
 - > S12: (3) ("10005718")

Search
List
Browse
Queue
Clear

DBs
US-PGPUB:USPAT
 Plurals

Default operator: OR
 Highlight all hit terms initially

11 and module\$

- > Drafts
- > Pending
- > Active
- > Failed
 - > "138"/\$.cccls. and line\$
 - > (296/107.19-107.20).CCL
 - > (296/136.01-136.13).CCL
- > Saved
- > Favorites
- > Tagged (6)
- > UDC
- > Queue
- > Trash

	<input type="checkbox"/>	U	1. Document ID	Issue Dat	Page	Title	Current O
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020163215	20021107	20	Vehicle console assembly	296/24.34
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030155786	20030821	15	Console assembly	296/24.34
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5511842	19960430	11	Security vehicle system	296/24.42
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 6497441	20021224	23	Multipurpose console	296/24.34
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	B1 US 6588821	20030708	30	Multipurpose console	296/37.8
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	B2 US 6719343	20040413	20	Vehicle console assembly	296/24.34

L7: (4) 16 and module

L8: (39) Combined citation search 1

L9: (2) "6343835"

L10: (1) ("6343835").PN.

L11: (17) Combined citation search 2

L12: (1) ("5085481").PN.

L13: (48) Combined citation search 3

L14: (5) Combined citation search 4

L15: (1) ("5338081").PN.

L16: (58) Combined citation search 5

L17: (388) "224"/\$.ccls. and console

L18: (102) (296/37.14).CCLS.

L19: (320) (296/37.8).CCLS.

L20: (134) toth.in.

L21: (0) toth-eric.in.

L22: (0) toth-eric-.in.

L23: (9) center near2 floor near2 console

L24: (9) center near2 floor near2 console.B

L25: (675) console with (socket or outlet)

L26: (120) console with power with (socket

L27: (0) console with file near2 hanger

L28: (29) console with hanger

L29: (1213) console with file\$

L30: (6) 129 and "296"/\$.ccls.

Search

List

Browse

Queue

Clear

DBs

US-PPGPUB:USPAT

 Plurals

Default operator:

OR

129 and "296"/\$.ccls.

 Highlight all hit terms initially

Custom form BRS form IS&R form Hits Details Image Tel F

L8: (39) Combined cit

L9: (2) "6343835"

L10: (1) ("6343835").

L11: (17) Combined cit

L12: (1) ("5085481").

L13: (48) Combined cit

L14: (5) Combined cit

L15: (1) ("5338081").

L16: (58) Combined cit

L17: (388) "224"/\$.cc

L18: (102) (296/37.14)

L19: (320) (296/37.8)

L20: (134) toth.in.

L21: (0) toth-eric.in.

L22: (0) toth-eric-.in.

L23: (9) center near2

L24: (9) center near2

L25: (675) console wi

L26: (120) console wi

L27: (0) console with

L28: (29) console with

L29: (1213) console w

L30: (6) 129 and "296"

	U	I	Document ID	Issue Date	Page	Title	Current O
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030205596	20031106	10	Robotic arm console	224/275
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6435587	20020820	12	Console	296/37.8
3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 6722540	20040420	10	Robotic arm console	224/275

BRS form IS&R form Hits Details HTML

Failed

BRS form IS&R form Hits Details HTML

Ready

NUM

EAST - [lined duct:2]

File View Edit Tools Window Help

L7: (4) 16 and module
 L8: (39) Combined citation search 1
 L9: (2) "6343835"
 L10: (1) ("6343835").PN.
 L11: (17) Combined citation search 2
 L12: (1) ("5085481").PN.
 L13: (48) Combined citation search 3
 L14: (5) Combined citation search 4
 L15: (1) ("5338081").PN.
 L16: (58) Combined citation search 5
 L17: (388) "224"/\$.ccls. and console
 L18: (102) (296/37.14).CCLS.
 L19: (320) (296/37.8).CCLS.
 L20: (134) toth.in.
 L21: (0) toth-eric.in.
 L22: (0) toth-eric-.in.
 L23: (9) center near2 floor near2 console
 L24: (9) center near2 floor near2 console.BI.
 L25: (675) console with (socket or outlet)
 L26: (120) console with power with (socket)
 L27: (0) console with file near2 hanger
 L28: (29) console with hanger
 L29: (1213) console with file\$
 L30: (6) 129 and "296"/\$.ccls.

Search List Browse Queue Clear
 DBs US-PPGPUB:USPAT Plurals
 Default operator: OR Highlight all hit terms initially
 129 and "296"/\$.ccls.

- Drafts
- Pending
- Active
 - L1: (57) (296/24.34).CCLS.
 - L2: (13) 11 and module
 - L3: (8) (US-2003015578).CCLS.
 - L4: (343) "224"/\$.ccls.
 - L5: (22) 14 and module
 - L6: (117) "220"/\$.ccls.
 - L7: (4) 16 and module
 - L8: (39) Combined citation search 1
 - L9: (2) "6343835"
 - L10: (1) ("6343835").PN.
 - L11: (17) Combined citation search 2
 - L12: (1) ("5085481").PN.
 - L13: (48) Combined citation search 3
 - L14: (5) Combined citation search 4
 - L15: (1) ("5338081").PN.
 - L16: (58) Combined citation search 5
 - L17: (388) "224"/\$.ccls. and console
 - L18: (102) (296/37.14).CCLS.
 - L19: (320) (296/37.8).CCLS.
 - L20: (134) toth.in.
 - L21: (0) toth-eric.in.
 - L22: (0) toth-eric-.in.
 - L23: (9) center near2 floor near2 console
 - L24: (9) center near2 floor near2 console.BI.
 - L25: (675) console with (socket or outlet)
 - L26: (120) console with power with (socket)
 - L27: (0) console with file near2 hanger
 - L28: (29) console with hanger
 - L29: (1213) console with file\$
 - L30: (6) 129 and "296"/\$.ccls.

	Type	L #	Hits	Search Text	DBs	Time	Stam	Comment	Error
19	IS&R	L19	320	(296/37.8).CCLS.	US-P GPUB	2004/12/2 8 07:32			
20	BRS	L20	134	toth.in.	US-P GPUB	2004/12/2 8 07:32			
21	BRS	L21	0	toth-eric.in.	US-P GPUB	2004/12/2 8 07:33			
22	BRS	L22	0	toth-eric-.in.	US-P GPUB	2004/12/2 8 07:33			
23	BRS	L23	9	center near2 floor near2 console	US-P GPUB	2004/12/2 8 07:34			
24	BRS	L24	9	center near2 floor near2 console.BI.	US-P GPUB	2004/12/2 8 07:45			
25	BRS	L25	675	console with (socket or outlet)	US-P GPUB	2004/12/2 8 07:45			
26	BRS	L26	120	console with power with (socket or outlet)	US-P GPUB	2004/12/2 8 07:51			
27	BRS	L27	0	console with file near2 hanger	US-P GPUB	2004/12/2 8 07:52			
28	BRS	L28	29	console with hanger	US-P GPUB	2004/12/2 8 07:53			
29	BRS	L29	1213	console with file\$	US-P GPUB	2004/12/2 8 07:54			
30	BRS	L30	6	129 and "296"/\$.ccls.	US-P GPUB	2004/12/2 8 07:54			

Ready